



Patient Information	Specimen Information	Client Information
<b>CHELLAND, ZACHARIAH</b>  <b>DOB: 04/15/2000    AGE: 22</b> Gender: M Phone: 717.466.4383 Patient ID: 27392	Specimen: CZ635087H Requisition: 0000671  Collected: 06/25/2022 / 11:40 EDT Received: 06/26/2022 / 04:45 EDT Reported: 06/30/2022 / 15:29 EDT	Client #: 97512138    MAIL992 HURST, BRADY F DR BRADY HURST Attn: DR BRADY HURST 3300 WINDY RIDGE PKWY SE UNIT 1622 ATLANTA, GA 30339-8522

Test Name	In Range	Out Of Range	Reference Range	Lab
THYROID PANEL WITH TSH				
THYROID PANEL				Z99
T3 UPTAKE	32		22-35 %	
T4 (THYROXINE), TOTAL	5.6		4.9-10.5 mcg/dL	
FREE T4 INDEX (T7)	1.8		1.4-3.8	
TSH	1.91		0.40-4.50 mIU/L	Z99
T4, FREE	1.1		0.8-1.8 ng/dL	Z99
T3, FREE	3.4		2.3-4.2 pg/mL	Z99
T3, TOTAL	108		76-181 ng/dL	Z99
T3 REVERSE, LC/MS/MS	11		8-25 ng/dL	AMD

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute Chantilly, VA. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

THYROID PEROXIDASE AND THYROGLOBULIN ANTIBODIES				
THYROGLOBULIN ANTIBODIES	<1		< or = 1 IU/mL	Z99
THYROID PEROXIDASE ANTIBODIES	1		<9 IU/mL	Z99

**PERFORMING SITE:**

AMD    QUEST DIAGNOSTICS/NICHOLS CHANTILLY, 14225 NEWBROOK DRIVE, CHANTILLY, VA 20151-2228 Laboratory Director: PATRICK W. MASON,MD,PHD, CLIA: 49D0221801  
 Z99    QUEST DIAGNOSTICS CLIFTON, 1 INSIGHTS DRIVE, CLIFTON, NJ 07012-2355 Laboratory Director: SHELLA K MONGIA,MD, CLIA: 31D0696246